Thin Solid Films, *244* (1994) 1083–1086

Author Index of Volumes 242–244

Abd. Majid, W. H., 61, 378
Abraham, B. M., 254
Adamczyk, A., 758
Agricole, B., 575, 592
Aguilhon, L., 7
Ahn, D. J., 971
Ahuja, R. C., 122, 195, 547, 564, 569, 647, 651
Ali, S., 860
Ali-Adib, Z., 157, 740, 1007
Allen, S., 1067
Althoff, O., 966
Ameenuddin, S., 127
Amm, D. T., 74
Angelova, A., 283, 289, 394
Anvar, D. J., 1
Anzai, T., 587
Araki, T., 223, 696, 750
Arisawa, S., 295
Arise, T., 295
Azumi, R., 300, 832

Bai, Y., 118, 459
Bajo, G., 683
Bandrauk, A. D., 981
Bar, G., 419
Barančok, D., 463
Barberka, T. A., 1061
Bardosova, M., 740
Barisone, C., 1043
Barnes, G. T., 201, 254
Barraud, A., 7, 857, 895, 1043
Batchelder, D. N., 778
Battersby, B. J., 201
Batzel, D. A., 187, 923, 928
Bauerle, P., 620
Befort, O., 553
Bergeron, J. Y., 728
Blais, J. C., 895
Blaudez, D., 146, 559
Bliznyuk, V. N., 745, 763, 1037
Bolard, J., 852
Bolbach, G., 852, 895
Bolognesi, A., 683
Bonnett, R., 923
Bonosi, F., 305, 310, 335
Botelho de Rego, A. M., 521
Bourgoin, J. P., 7, 1043
Bousquet, C., 852
Brehmer, L., 283, 289
Brennan, J. D., 898, 917
Brown, R. E., 860, 869
Bruinsma, P. J., 958
Bryant, G. C., 316
Bryce, M. R., 932, 936
Brynda, E., 463
Budach, W., 647
Buffeteau, T., 146, 559
Bulhões, L. O. S., 544
Burghard, M., 620
Byrd, H., 100, 510, 768

Callender, C. L., 728
Caminati, G., 651, 905, 1050
Cammenga, H. K., 201
Canavarolo, Jr., S. V., 723
Cantow, H.-J., 419
Caruso, P.-L., 195, 564
Castner, D. G., 106
Cavalleri, O., 431
Challa, G., 705
Charych, D. H., 1
Chauvet, J.-P., 243
Chazalet, M. S.-P., 852
Chen, H., 118
Chen, X. C., 16
Chesters, M. A., 346
Cheung, J. H., 806, 985, 990
Chi, L. F., 151, 351, 669
Chollet, P.-A., 132
Cirák, J., 463
Clark, T. R., 187, 923, 928
Clemendot, S., 895
Cochrane, E. C. A., 61
Cook, M. J., 316, 346
Cornut, J. C., 146
Cresswell, J. P., 1067
Crossley, M. J., 300

Dagoury, G., 895
Dante, S., 208, 267
Davis, F., 740
De Conick, J., 819
De Jong, A., 705
De Schryver, F. C., 995
Decher, G., 772
Delhaes, P., 415, 575, 592
Dembowski, J., 799
Derost, G., 895
Desbat, B., 146, 559, 592
Dhindsa, A. S., 530
Dignam, M. J., 21
Donovan, K. J., 187, 923, 928
Douillard, R., 687
Drijfhout, J. W., 913
Dringenberg, B. J., 569
Dufour, G., 895
Dupart, E., 575
D'Aprano, G., 728

Eckhardt, C. J., 67, 827
Ecoffet, C., 83
Elliott, J., 928
Era, M., 939
Erdelen, C., 112
Eriksson, F., 88
Erokhin, V., 403
Escafre, N., 146, 559
Evans, S. D., 325, 778, 784
Everaars, M. D., 78

Facci, P., 403
Fagerholm, H., 88

Falk, U., 966
Fan, C. Y., 16
Fan, Y., 955
Fang, J. Y., 450
Fang, T. R., 691
Fang, Z., 691
Faria, R. M., 544, 714, 723
Ferguson, I., 1067
Ferreira, G. F. L., 239
Ferreira, M., 806
Fichet, O., 575, 592
Flament, C., 411, 1026
Flörsheimer, M., 1001, 1078
Flynn, T. M., 778
Fou, A. F., 985
Fournier, T., 92
Franses, E. I., 971
Freeman, T. L., 778, 784
Fuchs, H., 151
Fuchs, M., 669
Fujihira, M., 163, 330, 446, 616, 634, 664
Fujii, K., 358
Fujii, T., 407
Fujita, T., 602
Fukuda, A., 476, 587, 754
Fukuda, H., 696
Fukuda, K., 732, 832, 1055
Fukuda, R., 675
Fukushima, H., 789
Funakoshi, G., 939

Gabrielli, G., 905, 1050
Gadret, G., 132
Gallet, F., 411, 1026
Gambacorta, A., 208
Gao, M., 815
Garrigou-Lagrange, C., 592
Garrison, M. D., 610
Geng, Z., 683
Gibson, J. E., 932
Gionis, V., 592
Gliozzi, A., 208
Gnade, M., 26
Gonçalves da Silva, A. M., 521
Gonçalves, D., 544
Graf, K., 411
Grainger, D. W., 106
Grandbois, M., 229
Greenhall, M. H., 596
Grenier, P., 981
Grewer, G., 669
Grieve, M. B., 581
Gu, C., 909
Gu, N., 178, 468, 501
Günter, P., 1001, 1078
Guo, D., 540
Guo, J., 45
Gupta, S. K., 530
Györvary, E., 88

Ha, J.-S., 700
Hara, M., 455
Hara, S., 295
Hardy, R. J., 824
Haslam, S. D., 316
Hatada, M., 374
Hayashi, K., 1055
Hayashi, T., 1073
Heptinstall, J., 1012
Hesto, P., 7
Hickle, W., 966
Hino, T., 497, 977
Hirano, K., 696
Hirata, M., 909
Hirata, Y., 455, 865
Hodge, P., 157, 1007
Hofmann, D., 794
Höhne, U., 425, 1061
Holdcroft, S., 174, 638
Holder, S., 61, 378
Hong, E.-S., 484
Hönig, D., 26, 213
Hotchandani, S., 505
Houde, D., 92, 981
Howarth, V. A., 951
Hudson, A. J., 581
Hunt, B., 740

Ichimura, K., 675, 1018
Ikeda, T., 1055
Ikegami, K., 11, 96
Imai, Y., 183, 220, 696, 750, 754
Inoue, T., 33, 399
Ionov, R., 283, 289
Iriyama, K., 223, 696, 750
Ishikawa, K., 754
Isomura, K., 939, 1022
Ito, S., 1073
Itoh, E., 476
Ivanova, Tz., 845
Iwamoto, M., 220, 472, 476, 493, 977, 1018, 1031
Iwamoto, Y., 330, 634
Izumi, M., 415

Jaeger, D. A., 277
Jallabert, C., 83
Janietz, D., 289, 794
Jeong, H., 710
Ji, S. X., 16
Jiang, D., 955
Jiang, L., 16, 459
Johnson, D. J., 74
Johnston, R. R., 151
Johnstone, R. A. W., 581
Jovin, T. M., 170
Jung, S.-D., 700

Kajikawa, K., 587, 754
Kajzar, F., 132
Kakimoto, M., 220, 750, 754
Kakimoto, M. A., 183, 696
Kakiuchi, T., 887
Kakkar, A. K., 142
Kallury, K. M. R., 898
Kamath, M., 50
Kan, S., 118
Kaneko, F., 480, 489, 630
Kang, D.-Y., 484, 497
Kaplan, D. L., 50
Kassi, H., 592
Kasuga, K., 358
Kato, K., 480, 489
Kato, T., 223
Kawabata, Y., 832
Kawano, M., 223
Kawate, H., 163
Keller, H., 799
Kenney, M. E., 187, 923, 928
Keough, K. M. W., 841
Kharlamov, A. A., 962
Kim, J.-J., 700
Kim, T. W., 484
Kimkes, P., 705
King, T. A., 1007
Kirstein, S., 763, 1037
Kitamura, K., 415
Kjaer, K., 40, 112
Kobayashi, K., 939
Kobayashi, S., 480, 489, 630
Kobayashi, Y., 489
Koga, T., 606
Kohara, J., 736
Kondo, S., 358
Kondo, T., 887
Kong, X., 815
Kooyman, R. P. H., 913
Koshiishi, K., 358
Krull, U. J., 898, 917
Kubota, T., 472, 493
Kulkarni, V. S., 869
Küpfer, M., 1001
Kuroda, S., 11, 96, 300
Kushida, M., 977
Kwon, Y.-S., 484, 497, 710

Laakso, K., 515
Lacey, D., 61, 378
Lam, J. Y. S., 361
Lamarche, F., 229
Lambi, J. N., 384
Laursen, T., 74
Laval, J.-M., 836
Lavigne, P., 229
Lawrie, G. A., 201
Le, T. H., 300
Leblanc, R. M., 505, 575, 592
Lebugle, A., 442
Leclerc, M., 728
Lee, B.-J., 710
Lee, M.-T., 810
Leger, R. A., 827
Leji, F., 305, 310, 335
Leuthe, A., 351
Levon, K., 515
Li, T., 118, 459, 536, 909
Li, T.-H., 540
Li, T. J., 643
Li, Y., 45, 955
Lim, J. O., 50
Limbourg, S., 819
Lin, W., 142
Linden, M., 88
Liu, L., 943
Liu, Y., 45, 656, 943
Long, C., 45
Looser, H., 1001
Lopes da Silva, J., 521
Lösche, M., 40, 112, 669
Lowe, J., 638
Lu, A., 955
Lu, A. D., 691
Lu, W., 178, 468, 501
Lu, Z., 371
Lu, Z. H., 178, 501
Lukes, P. J., 596
Lupo, D., 966
Lvov, Y., 596, 772
Lyubimov, A. V., 962

Ma, F. Y., 16
Maack, J., 122
Magonov, S. N., 419
Majda, M., 1, 836
Mao, G., 106
Mao, L., 263
Marcelis, A. T. M., 78
Margheri, E., 905
Mariani, P., 267
Markovitsi, D., 83
Marks, T. J., 142
Martini, G., 305, 335
Marx, K. A., 50
Mashimo, T., 736
Masson, M., 852
Matsuda, M., 718
Matsumoto, M., 11, 122, 300, 832
Matsumoto, N., 223
Matsuura, N., 74
Mattoso, L. H. C., 544, 714
Matuura, R., 273
McMurdo, J., 346
McRoberts, A. M., 1012
Mello, S. V., 544, 714
Menges, B., 966
Menzel, H., 56
Merkel, R., 827
Metzger, T. H., 1061
Michel, T., 234
Miller, L. S., 339, 1012
Mimura, K., 389
Mingotaud, A. F., 249
Mingotaud, C., 243, 249, 575
Mino, N., 374
Miura, A., 191, 342
Miyake, J., 455, 865
Miyasaka, T., 832
Miyashita, T., 718
Mizuta, Y., 718
Möbius, D., 26, 122, 170, 195, 213, 547, 553, 564, 569, 647, 651, 890
Mochizuki, C., 660
Möhwald, H., 425, 763, 1037
Moore, A. J., 932, 936
Morgan, H., 789
Mori, A., 602

Mori, A., 602
Moroi, Y., 273
Morrone, A. A., 510
Mozaffary, H., 874, 878
Munger, G., 575
Myagkov, I. V., 267

Nag, K., 841
Nagamura, T., 602, 606, 660, 947
Nagao, T., 602
Naito, K., 191, 342
Nakahara, H., 732, 832, 1055
Nakamura, T., 11, 832
Nakayama, K., 407
Naruse, H., 220, 1018
Nešpůrek, S., 463
Newman, C. M., 819
Nicolini, C., 403
Niidome, Y., 664
Nikolelis, D. P., 917
Nishi, Y., 696
Nitsch, W., 234
Nsengiyumva, S., 505

Ogawa, K., 374
Ogawa, T., 606
Oguchi, M., 358
Ohnishi, K., 1018
Ohnuki, H., 415, 575
Oki, S., 1073
Oliveira, Jr., O. N., 239, 544, 714, 723
Oostergetel, G. T., 705
Overbeck, G. A., 26, 213
Oyanagi, H., 415
Ozaki, S., 374

Palacin, S., 92, 981
Palmer, G., 74
Palto, S. P., 669
Pan, S., 536
Pan, S. F., 643
Panaiotov, I., 845
Pang, S. M., 468
Paradiso, R., 923
Patterson, L. K., 243, 249
Pawlicka, A., 723
Peachey, N. M., 67
Pearson, C., 932
Peltonen, J., 88
Peng, J. B., 254
Peng, X., 118
Peng, X. G., 643
Penner, T. L., 947
Pépin, C., 92
Perez, H., 857, 895
Perez, J., 1043
Persoons, A., 139
Peters, A. J., 258
Petty, M. C., 596, 932, 936, 951, 1067
Pezolet, M., 146
Pidduck, A. J., 157
Pietsch, U., 1061
Pike, J. K., 100, 510, 768
Pillet, L., 857
Pink, D. A., 827
Plowman, T. E., 610
Porzio, W., 683
Poynter, R. H., 346
Proust, J. E., 845
Puggelli, M., 1050
Pum, D., 882
Punkka, E., 515

Qian, F., 371
Qiu, L. W., 691
Quinn, B., 827

Raimond, P., 132
Raneva, V., 845
Ravaine, S., 575
Reiche, J., 283, 289, 794
Reichert, W. M., 610
Rei Vilar, M., 521
Relini, A., 208
Rella, R., 367
Reneker, D. H., 745
Reneker, V. N., 763
Rhoden, A. L., 339, 1012
Ricci, D., 431
Ricciardi, G., 305, 310, 335
Rich, N. H., 841
Richardson, R. M., 316
Richardson, T., 61, 378, 581
Ridente, Y., 852
Riegler, H., 351, 411
Ringsdorf, H., 112, 151, 564
Rintoul, D. A., 127
Ritcey, A. M., 263
Riul, A., 714
Riul, Jr., A., 239
Robitaille, L., 728
Rocha Gonsalves, A. M. A., 581
Rodgers, K. D., 258
Roh, H.-S., 700
Rolandi, R., 208, 431
Romanelli, M., 305
Roscoe, S. B., 142
Roth, S., 620
Roulet, H., 895
Ruaudel-Teixier, A., 857, 895
Rubner, M. F., 806, 985, 990
Ruggiero, C., 316
Rump, E., 112
Rustichelli, F., 267
Ryan, T. G., 316, 1067

Sackmann, E., 827
Saito, K., 96, 526
Saito, M., 273
Saito, S., 939
Sakaguchi, H., 660, 947
Sakai, J., 718
Sakomura, M., 616
Salesse, C., 229
Samuelson, L. A., 50
Samyn, C., 139
Sanassy, P., 325
Sarge, S. M., 201
Sasabe, H., 943
Sasaki, K., 660
Sato, K., 389
Schaper, A., 170
Scheunemann, U., 966
Schmelzer, M., 620
Schmitt, J., 772
Schneider, P. B., 201
Schönohoff, M., 669
Schouten, A. J., 705
Schrepp, W., 799
Scott, K., 187, 923, 928
Seethaler, S. L., 917
Seki, T., 625, 675
Servant, L., 21
Shan, Y.-B., 540
Shearman, J. E., 1067
Shen, H. Y., 178, 501
Shen, J., 815
Shibasaki, Y., 732, 1055
Shibata, A., 736
Shibata, O., 273
Shimomura, M., 358, 887
Shinbo, K., 480, 489, 630
Shinohara, E., 358
Shmatko, V., 740
Siciliano, P., 367
Simak, P., 799
Sisido, M., 1055
Slater, D. A., 346
Sleytr, U. B., 882
Smaby, J. M., 860
Sobral, A. J. F., 581
Speroni, F., 683
Steinfort, A. J., 1078
Stone, P. J. W., 1012
Stroeve, P., 361, 450, 958
Strzelecka, H., 83
Stubb, H., 515
Styrkas, D. A., 437
Subirade, M., 442
Sudhölter, E. J. R., 78
Sudiwala, R. V., 187, 923, 928
Suga, K., 330, 634
Sugi, M., 11, 96, 300
Sugita, K., 977
Sukhorukov, A. V., 437
Sun, F., 106
Sun, L., 909
Suzuki, K., 660
Suzuki, M., 407, 480
Suzuki, N., 223
Swanson, D. R., 824

Tachibana, H., 11, 122, 832
Tagaki, W., 832
Tajima, N., 358
Takacs, J. M., 67
Takahashi, Y., 493
Takano, H., 446
Takasaka, M., 602
Takehara, K., 939, 1022
Takeshita, H., 602
Takezoe, H., 587, 754
Talham, D. R., 100, 510, 768
Tamada, T., 754
Tamaki, T., 625, 675

Tamamoto, R., 295
Tanaka, M., 300, 832
Tanaka, Y., 625
Tancrède, P., 229
Taniguchi, H., 939, 1022
Tao, Y.-T., 810
Taylor, D. M., 384, 530, 789
Thomas, R. K., 437
Thorne, A. J., 316
Tian, K., 459
Tomčik, P., 463
Toncatto, C., 431
Tran-Thi, T. H., 92, 981
Tredgold, R. H., 157, 740
Tremblay, G., 7
Tripathy, S. K., 50
Troitsky, V. I., 267
Troung, K. D., 981
Tsukruk, V. V., 745, 763
Tsutsui, T., 939
Turlet, J. M., 146, 559

Uchida, I., 736
Ueno, K., 625
Ueno, N., 977
Ueno, S., 389, 736
Ulman, A., 325, 778, 784
Underhill, A. E., 530
Uphaus, R. A., 40, 67, 127, 277, 450

Vaknin, D., 40, 112
Valli, L., 367
Van den Heuvel, D. J., 913
Van der Auwaraer, M., 995
Vandevyver, M., 7, 1043
Veber, M., 83
Verbiest, T., 139
Verschuere, B., 995
Vinogradov, A. M., 962

Wada, M., 472
Wada, T., 943
Walker, D. S., 610
Walton, D. J., 1012
Wang, D., 459
Wang, H., 536
Wang, J., 277
Wang, J. Y., 40, 127, 277
Wang, R., 536
Wang, W., 943
Watanabe, S., 750
Wawkuschewski, A., 419
Wei, Y., 178, 371, 468, 501, 679
Weichart, B., 56
Welford, K., 346
Welling, G. W., 913
Wen, G., 732
West, D., 1007
Whipps, S., 768
Whitten, D. G., 947
Wildburg, G., 564
Wilkins, R. F., 923
Williams, G., 936
Wilson, E. G., 187, 923, 928
Wolthaus, L., 26, 170
Wong, G. K., 142
Woolley, M., 157
Wu, A., 750
Wu, C.-R., 679

Xi, S.-Q., 540
Xing, W., 540
Xu, B., 174, 638
Xu, S. X., 691
Xu, Y., 45, 656, 943

Yamada, H., 407, 455
Yamaguchi, H., 415
Yamanaka, M., 389
Yamaoto, M., 1073
Yamashita, T., 736
Yang, C., 656
Yang, J., 536, 643
Yang, W.-Y., 679
Yang, X., 371
Yang, X. M., 178
Yao, Y., 45
Yarwood, J., 596
Yase, K., 389
Yitzchaik, S., 142
Yokoyama, H., 33, 399, 526
Yokoyama, S., 183, 220, 750, 754
Yonashiro, M., 723
Yoshida, H., 1018
Yuan, C.-W., 679
Yuan, C. W., 468, 501

Zaitsev, S. Yu., 890
Zhang, B., 536
Zhang, L., 178, 955
Zhang, T., 909
Zhang, X., 815
Zheng, W.-Y., 515
Zhu, D., 45, 656, 943
Zhu, Y., 371
Zönnchen, P., 419

Subject Index of Volumes 242–244

Acetylene
- effect of elongation of π-electron system on the behaviors of amphiphiles containing the pyrazine ring, 1022
- synthesis of a novel distributed diacetylene and solid state polymerization of its Langmuir–Blodgett film, 656

Adsorption
- adsorption of cyanine dyes and optical properties of phosphatidic acid Langmuir monolayers and Langmuir–Blodgett films, 630
- build-up of polymeric molecular deposition films bearing mesogenic groups, 815
- conformation and thermodynamics of haemoglobin adsorbed at fluid interfaces, 687
- dependence of structural order of 4-n-alkyl-4′-cyanobiphenyl layers on the nature of the substrate: graphite and β-Nb_3I_8, 419
- molecular self-assembly of conjugated polyions: a new process for fabricating multilayer thin film heterostructures, 806
- photoinduced electron transfer in molecular organizates at the gas–water interface, 564

Alkali halides
- monovalent anions stabilize the structure of bacteriorhodopsin at the air–water interface, 736

Alkali metals
- electron transfer between photoexcited oxacyanine dye and dithiocarbamate in LB films: counterion and pH dependence, 647

Alkanes
- orientation control of functional molecules in Langmuir–Blodgett films using a trigger molecule: the effect of substitution of the functional molecule, 300

Aluminium
- Langmuir–Blodgett resist films for microlithography by exposure to a scanning electron microscope, 178

Amino acids
- molecular arrangements and polycondensation of long-chain esters of amino acids containing an aromatic ring in Langmuir–Blodgett films, 1055

Ammonia
- gas-humidity sensor fabricated with phthalocyanine Langmuir–Blodgett film, 909

Anisotropy
- alignment photoregulation of liquid crystals on precisely area controlled azobenzene Langmuir–Blodgett monolayers, 675
- characterization of polyion complexed Langmuir–Blodgett films by electron spin resonance, 634
- determination of the parallel and perpendicular intermolecular tunnelling rates in two Langmuir–Blodgett quantum well systems, 923
- molecular orientation of aggregated mesoporphyrin IX dimethylester in mixed Langmuir–Blodgett films with arachidic acid, 606
- photoelectropoling of azobenzene chromophores in molecular films, 669

Annealing
- X-ray absorption and diffraction investigations of iodine-intercalated conducting Langmuir–Blodgett film, 415

Atomic force microscopy
- AFM and X-ray studies of films formed by thermal evaporation and by the LB technique, 157
- atomic force microscopy studies of photosynthetic protein membrane Langmuir–Blodgett films, 455
- automatic Langmuir–Blodgett system based on flowing subphase compression, 371
- crystal engineering in two dimensions: control of planar packing by design of new amphiphiles, 67
- development of a new force microscope with a fluorescence optical microscope, 407
- imaging of structured and disordered hemicyanine monolayers by atomic force microscopy, 450
- influence of multivalent salts on the processability of a stearic acid monolayer: a stability, electron spectroscopy for chemical analysis and atomic force microscopy study, 88
- investigations of phase-separated Langmuir–Blodgett films by atomic force microscopy, 151
- morphology and molecular ordering in Langmuir–Blodgett films from ladder polyheteroarylenes, 745
- observation of the phase-separated Langmuir–Blodgett films on vapor deposited silver films with atomic force microscopy and friction force microscopy, 446
- photoelectropoling of azobenzene chromophores in molecular films, 669
- scanning electron microscopy and atomic force microscopy of alkanethiol monolayers on gold, 431
- scanning Maxwell stress microscope for nanometre-scale electrostatic imaging of thin films, 33
- scanning surface potential microscope for characterisation of Langmuir–Blodgett films, 163
- structural investigation of dipping lines in Langmuir–Blodgett films by scanning force microscopy, 170
- submolecular details of Cd arachidate Langmuir–Blodgett films detected by atomic force microscopy, 1078
- surface morphology of cyanine dye single-crystal sheets grown on a lipid monolayer, 763
- transition to three-dimensional structures in monolayers of a series of long-chain acids on the water surface by compression studied by transmission electron spectroscopy and atomic force spectroscopy, 223

Biomaterials
- atomic force microscopy studies of photosynthetic protein membrane Langmuir–Blodgett films, 455
- formation and characterisation of Langmuir–Blodgett films of dipalmitoylphosphatidic acid, 596
- galactosylceramides with homogeneous acyl chains: the effect of acyl structure on intermolecular interactions occurring at the argon/buffered saline interface, 860
- immunoglobulin immobilisation by the Langmuir–Blodgett method, 857
- impedance spectroscopy of biomembrane Langmuir–Blodgett films, 951
- large-scale reconstitution of crystalline bacterial surface layer proteins at the air–water interface and on lipid films, 882
- molecular construction of a photosynthetic reaction center at the interface by its affinity with quinonylphospolipid, 865
- on the lipid head group hydration of floating surface monolayers bound to self-assembled molecular protein layers, 112
- organization of poly-γ-benzyl-L-glutamate in the α-helical conformation at the air–water interface, 229

plate-to-nematoid transition of self-organized layers in liquid crystal systems, 758
polysiloxanes for Langmuir–Blodgett applications, 1012
self-assembly of avidin and streptavdin with multifunctional biotin molecules, 789
use of self-assembled receptor layers in immunosensors, 913
Biomolecules
novel Langmuir–Blodgett trough and its applicability to deposition of films of various fluidities, 339

Cadmium
imaging of structured and disordered hemicyanine monolayers by atomic force microscopy, 450
structural investigation of alternating Langmuir–Blodgett films of amphiphilic diactylene and fatty acid, 295
Cadmium iodide
X-ray photoelectron spectroscopy, attenuated total reflectance Fourier transform IR spectroscopy and transmission electron diffraction studies of oriented cadmium iodide prepared in a Langmuir–Blodgett template, 510
Cadmium sulphide
formation of nanoscale size cadmium sulfide within a channel protein monolayer, 127
Capacitors
bilayer lipid membranes as electrochemical switches in reactions involving alteration of surface charge, 917
Carboxylic acids
AFM and X-ray studies of films formed by thermal evaporation and by the LB technique, 157
influence of multivalent salts on the processability of a stearic acid monolayer: a stability, electron spectroscopy for chemical analysis and atomic force microscopy study, 88
preparation and characterization of Langmuir–Blodgett films containing fullerene, 367
Chemical vapour deposition
surface sensitivity of SiON integrated optical waveguides (IOWs) examined by IOW-attenuated total reflection spectrometry and IOW-Raman spectroscopy, 610
Chemisorption
fabrication of self-assembled monolayer patterns by selective electron beam irradiation and chemical adsorption technique, 374
self-assembled chromophoric thin film NLO materials. Effect of coupling agent surface functionalization and ion exchange processes on second harmonic generation characteristics, 142
surface chemistry of thiols on copper: an efficient way of producing multilayers, 799
Chlorophyll
photovoltaic and photoelectric properties of Al/mixed monolayers of Chl a-SQDG/Ag sandwich cells, 505
Clusters
formation of nanoscale size cadmium sulfide within a channel protein monolayer, 127
Coatings
polymer ultrathin films by self assembly: bound perfluorinated monolayers and their modification using in situ derivatization strategies, 106
superiority of Langmuir–Blodgett resist films in electron beam lithography as demonstrated by the backscattering yield, 501
Computer simulation
characterization of polyion complexed Langmuir–Blodgett films by electron spin resonance, 634
cross-section potential for calculation of close packing geometries of monolayer films, 824
effect of elongation of π-electron system on the behaviors of amphiphiles containing the pyrazine ring, 1022
intersecting adsorbing polymers in lipid bilayers: thermodynamics of cliques and static order parameters, 827
molecular organization of amphiphilic disc-shaped penta-alkynes in LB-mono- and multilayers, 794
Conductivity
conductivity and electroluminescence in an organometallic Langmuir–Blodgett film/anthracene structure, 936
electroactivity in poly(*o*-alkoxyaniline) Langmuir–Blodgett films, 544
electrically conducting thin films of aniline derivatives, 515
fabrication of electrically conductive Langmuir–Blodgett multilayer films of polyaniline, 990
field-effect induced modulation of conduction in Langmuir–Blodgett films of ethylenedithiotetrathiofulvalene derivatives, 7
formation and electrical characterization of Langmuir–Blodgett films of metal–$(dmit)_2$ charge transfer salts, 530
I–V and π–A characteristics of ultra-thin Langmuir–Blodgett films, 484
molecular self-assembly of conducting polymers, 985
surface potential studies of monolayers of surfactant donor and acceptor molecules, 267
synthesis and characterization of poly(*o*-phenetidine) for the fabrication of Langmuir and Langmuir–Blodgett films, 714
Contacts
field-effect induced modulation of conduction in Langmuir–Blodgett films of ethylenedithiotetrathiofulvalene derivatives, 7
Copper
comparison of LB films obtained with an ordinary trough and a moving-wall type trough by ESR spectroscopy, 330
mosogenic metal alkylthioporphyrins for the formation of Langmuir–Blodgett films, 335
surface chemistry of thiols on copper: an efficient way of producing multilayers, 799
Corrosion
inhibition of corrosion by hexadecyl trimethyl ammonium bromide Langmuir–Blodgett monolayers on carbon steel, 540
Crystallization
change in Langmuir–Blodgett film structures of cationic amphiphiles with pyrene-1-carboxylate anion on treatment with HCl gas, 664
large-scale reconstitution of crystalline bacterial surface layer proteins at the air–water interface and on lipid films, 882
transition to three-dimensional structures in monolayers of a series of long-chain acids on the water surface by compression studied by transmission electron spectroscopy and atomic force spectroscopy, 223

Deposition process
build-up of polymeric molecular deposition films bearing mesogenic groups, 815
decomposition of Langmuir–Blodgett films to form metal oxide layers, 74
formation and structural characteristics of Langmuir–Blodgett films of C_{60} and C_{70}, 45
mixed alkanethiolate monolayers as substrates for studying the Langmuir film deposition process, 325

preparation and characterization of Langmuir–Blodgett films containing fullerene, 367
self-assembled chromophoric thin film NLO materials. Effect of coupling agent surface functionalization and ion exchange processes on second harmonic generation characteristics, 142
single layers of inorganic extended lattices formed at Langmuir–Blodgett templates, 100
Z-type deposition of a polymerizable amphiphile to fabricate an immobilized LB film showing strong second harmonic generation, 939

Diamond
novel Langmuir–Blodgett trough and its applicability to deposition of films of various fluidities, 339

Dielectric properties
electromotive force generation in metal–insulator–metal structures of Langmuir–Blodgett films, 497
I–V and π–A characteristics of ultra-thin Langmuir–Blodgett films, 484
molecular cis–trans switching in amphiphilic monolayers containing azobenzene moieties, 122
structure and electrical properties of phosphatidic acid Langmuir–Blodgett films adsorbing cyanide dyes, 489

Dielectrics
study on the dielectric loss tan δ of metal–insulator–metal and metal–insulator–metal–insulator–metal junctions with polyimide Langmuir–Blodgett films, 977

Diffusion
permeation of gases through Langmuir–Blodgett films of iron(III) stearate and iron(III) complexes, 958

Elastic properties
viscoelastic properties of monolayers of polymeric amphiphiles with mesogenic groups, 254

Electrochemistry
inhibition of corrosion by hexadecyl trimethyl ammonium bromide Langmuir–Blodgett monolayers on carbon steel, 540

Electrical properties and measurements
displacement current generation across single monolayers of polyamic acids having pendant groups at the air–water interface, 220
electron transport mechanism through polyimide Langmuir–Blodgett films containing porphyrin, 472
electromotive force generation in metal–insulator–metal structures of Langmuir–Blodgett films, 497
field effect transistor based on Langmuir–Blodgett films of an Ni(dmit)$_2$ charge transfer complex, 932
formation and electrical characterization of Langmuir–Blodgett films of metal–(dmit)$_2$ charge transfer salts, 530
I–V and π–A characteristics of ultra-thin Langmuir–Blodgett films, 484
Maxwell displacement current across single monolayers, 1031
monolayer properties of alkylammonium perfluoroalkanoates, 273
ordered structure and electrical properties in spiropyran Langmuir–Blodgett films, 480
photovoltaic effect in CuTCNQ organic thin films, 468
scanning Maxwell stress microscope for nanometre-scale surface electrostatic imaging of thin films, 33
scanning tunnelling microscopy of a monolayer of reaction centres, 403
structure and electrical properties of phosphatidic acid Langmuir–Blodgett films adsorbing cyanide dyes, 489
study of the thermally stimulated discharge in single monolayers and hetero-structured films, 493
surface potential of heat-treated polyimide Langmuir–Blodgett films, 476

Electrochemistry
bilayer lipid membranes as electrochemical switches in reactions involving alteration of surface charge, 917
effect of thermal treatment on surface monolayer and Langmuir–Blodgett film prepared by polyion complex technique, 358
electrochemical investigations of the structure and electron transfer properties of phospholipid bilayers incorporating ubiquinone, 836
kinetics of lateral electron hopping in osmium-tris-4,7-diphenylphenanthroline perchlorate monolayers at the air/water interface, 1
synthesis and characterization of poly(o-phenetidine) for the fabrication of Langmuir and Langmuir–Blodgett films, 714

Electron diffraction
structure of an anisotropic two-dimensional solid in a Langmuir film studied by electron scattering, 411

Electron energy loss spectroscopy
interaction of slow electrons with Langmuir–Blodgett films studied by high resolution electron energy loss spectroscopy, 521

Electron microscopy
large-scale reconstitution of crystalline bacterial surface layer proteins at the air–water interface and on lipid films, 882
migration and growth mechanism of long chain molecules on the surface of solid substrates, 389
transition to three-dimensional structures in monolayers of a series of long-chain acids on the water surface by compression studied by transmission electron spectroscopy and atomic force spectroscopy, 223

Electron scattering
interaction of slow electrons with Langmuir–Blodgett films studied by high resolution electron energy loss spectroscopy, 521
superiority of Langmuir–Blodgett resist films in electron beam lithography as demonstrated by the backscattering yield, 501

Electron spin resonance
characterization of polyion complexed Langmuir–Blodgett films by electron spin resonance, 634
comparision of LB films obtained with an ordinary trough and a moving-wall type trough by ESR spectroscopy, 330
mesogenic metal alkylthioporphyrins for the formation of Langmuir–Blodgett films, 335
modification of the local structures of dye aggregates in Langmuir–Blodgett films as probed by electron spin resonance, 96
monolayer and multilayer films of differently substituted metal tetraazaannulene complexes, 305
monolayers and Langmuir–Blodgett films of a new lutetium(III)-bis-octakis(alkylthio)tetraazaporphyrin, 310
one-dimensional columnar structure in conductive Langmuir–Blodgett films of long chain pyridinium-(TCNQ)$_2$ salts studied by electron spin resonance, 11
orientation control of functional molecules in Langmuir–Blodgett films using a trigger molecule: the effect of substitution of the functional molecule, 300

Electron transfer
optical properties of transient charge carriers photogenerated on a femtosecond-to-nanosecond time scale in Langmuir–Blodgett films, 92

Electronic devices
conductivity and electroluminescence in an organometallic Langmuir–Blodgett film/anthracene structure, 936
cyclic polysiloxanes in polar LB assemblies: synthesis, evaluation and pyroelectric behaviour, 378
electron transport mechanism through polyimide Langmuir–Blodgett films containing porphyrin, 472
Langmuir–Blodgett films of linear polysiloxanes incorporating aromatic side-chains: structure–property relationships, 61
Ellipsometry
decomposition of Langmuir–Blodgett films to form metal oxide layers, 74
optical waveguide studies on photoinduced electrochromism in ultrathin films of ion-pair charge-transfer complexes of 4,4′-bipyridinium ions, 660
stars, stripes and shells in monolayers: simulation of the molecular arrangement in Schlieren structures, 213
Etching
Langmuir–Blodgett resist films for microlithography by exposure to a scanning electron microscope, 178
Evaporation
electrically conducting thin films of aniline derivatives, 515

Field effect
field effect transistor based on Langmuir–Blodgett films of an Ni(dmit)$_2$ charge transfer complex, 932
Fluorescence
behaviour of nitrobenz-2-oxa-1,3-diazol and coumarin dye indicators in lipid monolayers: a study of interfacial effects on polarity and pH, 243
bilayer lipid membranes as electrochemical switches in reactions involving alteration of surface charge, 917
change in Langmuir–Blodgett film structures of cationic amphiphiles with pyrene-1-carboxylate anion on treatment with HCl gas, 664
columnar liquid crystals of triaryl pyrylium salts: experimental and theoretical study of photophysical properties, 83
development of a new force microscope with a fluorescence optical microscope, 407
electron transfer between photoexcited oxacyanine dye and dithiocarbamate in LB films: counterion and pH dependence, 647
fluorescence microscopic imaging of hydrolysis of phospholipid monolayers by phospholipase D at the air–water interface, 887
fluorescence spectroscopy for a polymer monolayer at the air–water interface, 1073
fluorescence study of the miscibility of ω-arylalkanoic acids in Langmuir–Blodgett films, 995
influence of the phase state of phosphatidylcholine matrix monolayers on the photophysical characteristics of an amphiphilic oxacyanine dye at the air/water interface, 547
interaction between dipalmitoylphosphatidylglycerol and phosphatidylcholine and calcium, 841
non-radiative decay channels in poly(3-hexylthiophene) and poly(3-dodecylthiophene) and how to control them by molecular engineering, 638
organization of bipolar lipids in monolayers at the air–water interface, 208
organization of poly-γ-benzyl-L-glutamate in the α-helical conformation at the air–water interface, 229
phosphorescence and delayed fluorescence of poly(3-hexylthiophene) films, 174
photochemical investigation of pyrene-labelled monolayers, 651
photochemical studies of Langmuir–Blodgett films fabricated from *N*-alkylacrylamide copolymers with various vinyl aromatic monomers, 718
photoinduced electron transfer in molecular organizates at the gas–water interface, 564
surface morphology of cyanine dye single-crystal sheets grown on a lipid monolayer, 763
transduction of the reaction between urea and covalently immobilized urease by fluorescent amphiphilic membranes, 898
Fluorination
monolayers and Langmuir–Blodgett films of semifluorinated tetrathiafulvalene derivative, 575
Fluorine
monolayer properties of alkylammonium perfluoroalkanoates, 273
Fourier transform infrared spectroscopy
formation and characterisation of Langmuir–Blodgett films of dipalmitoylphosphatidic acid, 596
imide cross-linking and concurrent skeletonization of Langmuir–Blodgett films composed of two oppositely charged polymers, 710
in-plane organization of LB monolayers from FTIR spectroscopy, 559
model for the optical properties of oriented molecular layers, 21
mono- and multilayers of new comb-like polymers containing terminal vinyl groups in the side chains, 732
monolayers and Langmuir–Blodgett multilayer films of a conjugated azo polymer, 705
monovalent anions stabilize the structure of bacteriorhodopsin at the air–water interface, 736
multilayers of ω-mercaptoalkanoic acids containing a polar aromatic group: characterization of films, 784
permeation of gases through Langmuir–Blodgett films of iron(III) stearate and iron(III) complexes, 958
polarization modulation FTIR spectroscopy at the air–water interface, 146
single layers of inorganic extended lattices formed at Langmuir–Blodgett templates, 100
size-dependent FTIR spectroscopy of nanoparticulate α-Fe_2O_3-stearate alternating Langmuir–Blodgett films, 643
structural information on thiophene Langmuir–Blodgett heterostructures, 620

Growth mechanism
migration and growth mechanism of long chain molecules on the surface of solid substrates, 389

Heat treatment
gas–humidity sensor fabricated with phthalocyanine Langmuir–Blodgett film, 909
Heterostructures
structural investigation of alternating Langmuir–Blodgett films of amphiphilic diactylene and fatty acid, 295
study of the thermally stimulated discharge in single monolayers and hetero-structured films, 493
Homodoping
conducting Langmuir–Blodgett films based on semiamphiphilic tetracyanodimethane salts: mechanism of the homodoping process, 592
Hydrogen
submolecular details of Cd arachidate Langmuir–Blodgett films detected by atomic force microscopy, 1078

Infrared spectroscopy
chain length dependence of molecular ordering in LB films of amphotropic phthalocyanines, 346
determination of molecular orientations in Langmuir–Blodgett films by polarized Fourier transform IR attenuated total reflection and transmission spectroscopy, 971
in-plane organization of LB monolayers from FTIR spectroscopy, 559
Langmuir–Blodgett film formation of disteroidal-TCNQ, 342
preparation of Langmuir–Blodgett multilayers with differently substituted poly(3-alkylthiophenes), 683
Insulators
study on the dielectric loss tan δ of metal–insulator–metal and metal–insulator–metal–insulator–metal junctions with polyimide Langmuir–Blodgett films, 977
Interfaces
behaviour of nitrobenz-2-oxa-1,3-diazol and coumarin dye indicators in lipid monolayers: a study of interfacial effects on polarity and pH, 243
conformation and thermodynamics of haemoglobin adsorbed at fluid interfaces, 687
electron transfer between photoexcited oxacyanine dye and dithiocarbamate in LB films: counterion and pH dependence, 647
fabrication of electrically conductive Langmuir–Blodgett multilayer films of polyaniline, 990
In situ imaging of Langmuir monolayers by second-harmonic microscopy, 1001
interactions of phospholipid bilayer vesicles with monomolecular films at the air–water interface, 869
Langmuir–Blodgett films of alkylpyridines as metal ion sensors, 905
monolayers and Langmuir–Blodgett films of semifluorinated tetrathiafulvalene derivative, 575
monolayers of Na^+, K^+-adenosine triphosphatase at the gas–liquid interface, 890
photochemical investigation of pyrene-labelled monolayers, 651
plate-to-nematoid transition of self-organized layers in liquid crystal systems, 758
recognition properties of amphiphilic cyclodextrin monolayers at the air–water interface, 832
spontaneous reduction of octadecyltetracyanoquinodimethane at the air–water interface in the presence of amphiphilic cations, 1043
structure and electrical properties of heteromultilayers on p-Si(111), 459
Iron oxide
permeation of gases through Langmuir–Blodgett films of iron(III) stearate and iron(III) complexes, 958

Langmuir–Blodgett films
adsorption of cyanine dyes and optical properties of phosphatidic acid Langmuir monolayers and Langmuir–Blodgett films, 630
AFM and X-ray studies of films formed by thermal evaporation and by the LB technique, 157
alignment photoregulation of liquid crystals on precisely area controlled azobenzene Langmuir–Blodgett monolayers, 675
amylose triacetate Langmuir–Blodgett films: Y, Z and alternated with other polymers, 740
assembling and optical properties of dicyclohepta[5,6,:*b*]-pyrazino[2,3-*g*] quinoxaline-3,11-dione derivatives, 602
atomic force microscopy studies of photosynthetic protein membrane Langmuir–Blodgett films, 455
automatic Langmuir–Blodgett system based on flowing subphase compression, 371
bilayer lipid membranes as electrochemical switches in reactions involving alteration of surface charge, 917
chain length dependence of molecular ordering in LB films of amphotropic phthalocyanines, 346
change in Langmuir–Blodgett film structures of cationic amphiphiles with pyrene-1-carboxylate anion on treatment with HCl gas, 664
characterization of polyion complexed Langmuir–Blodgett films by electron spin resonance, 634
charge transfer interactions at the air–water interface and in Langmuir–Blodgett films, 569
comparison of Langmuir–Blodgett films of polyamic acid tert-amine salts with single, double and triple chains, 696
comparison of LB films obtained with an ordinary trough and a moving-wall type trough by ESR spectroscopy, 330
conductivity and electroluminescence in an organometallic Langmuir–Blodgett film/anthracene structure, 936
control of electron transfer in a nanostructure assembled from organic molecules, 187
control of the structure of Langmuir–Blodgett films of a discotic liquid crystalline compound via the subphase composition and the adjacent molecular environment, 289
counterion specific interactions in dioctadecyldimethylammonium bromide monolayers at the monolayer/subphase interface, 195
cross-section potential for calculation of close packing geometries of monolayer films, 824
crystal engineering in two dimensions: control of planar packing by design of new amphiphiles, 67
cyclic polysiloxanes in polar LB assemblies: synthesis, evaluation and pyroelectric behaviour, 378
database of information from Langmuir films: design and use, 249
determination of molecular orientations in Langmuir–Blodgett films by polarized Fourier transform IR attenuated total reflection and transmission spectroscopy, 971
direction of photocurrents of molecular photodiodes with oriented triad molecules, 616
displacement current generation across single monolayers of polyamic acids having pendant groups at the air–water interface, 220
effect of elongation of π-electron system on the behaviors of amphiphiles containing the pyrazine ring, 1022
effect of polymer molecular weight on Langmuir monolayers and the deposition of Langmuir–Blodgett films of poly(3-butylthiophene) and stearic acid, 723
effect of thermal treatment on surface monolayer and Langmuir–Blodgett film prepared by polyion complex technique, 358
efficient second-harmonic generation from all-polymeric Langmuir–Blodgett 'AB' films containing up to 600 layers, 1007
electrically conducting thin films of aniline derivatives, 515
electroactivity in poly(*o*-alkoxyaniline) Langmuir–Blodgett films, 544
electrochemical investigations of the structure and electron transfer properties of phospholipid bilayers incorporating ubiquinone, 836
electromotive force generation in metal–insulator–metal structures of Langmuir–Blodgett films, 497
electron transfer between photoexcited oxacyanine dye and dithiocarbamate in LB films: counterion and pH dependence, 647

electron transport mechanism through polyimide Langmuir–Blodgett films containing porphyrin, 472
electro-optic properties of some oligomeric Langmuir–Blodgett films, 1067
field-effect induced modulation of conduction in Langmuir–Blodgett films of ethylenedithiotetrathiofulvalene derivatives, 7
field effect transistor based on Langmuir–Blodgett films of an $Ni(dmit)_2$ charge transfer complex, 932
fluorescence spectroscopy for a polymer monolayer at the air–water interface, 1073
fluorescence study of the miscibility of ω-arylalkanoic acids in Langmuir–Blodgett films, 995
formation and characterisation of Langmuir–Blodgett films of dipalmitoylphosphatidic acid, 596
formation and electrical characterization of Langmuir–Blodgett films of metal–$(dmit)_2$ charge transfer salts, 530
formation and structural characteristics of Langmuir–Blodgett films of C_{60} and C_{70}, 45
formulation of quantum size silver particles *in situ* at the monolayer surface, 16
further investigation of the preparation process of poly(*p*-phenylenevinylene) Langmuir–Blodgett films, 750
gas–humidity sensor fabricated with phthalocyanine Langmuir–Blodgett film, 909
head-to-tail or head-to-head structure of Langmuir–Blodgett long chain ester multilayers?, 283
imide cross-linking and concurrent skeletonization of Langmuir–Blodgett films composed of two oppositely charged polymers, 710
immunoglobulin immobilisation by the Langmuir–Blodgett method, 857
influence of multivalent salts on the processability of a stearic acid monolayer: a stability, electron spectroscopy for chemical analysis and atomic force microscopy study, 88
influence of the phase state of phosphatidylcholine matrix monolayers on the photophysical characteristics of an amphiphilic oxacyanine dye at the air/water interface, 547
inhibition of corrosion by hexadecyl trimethyl ammonium bromide Langmuir–Blodgett monolayers on carbon steel, 540
in-plane organization of LB monolayers from FTIR spectroscopy, 559
insertion of silver tetracyanoquinodimethane complexes into Langmuir–Blodgett multilayers, 679
in situ optical monitoring of the Langmuir layer and Langmuir–Blodgett film deposition with optical second harmonic generation at the air–water interface, 361
interaction of slow electrons with Langmuir–Blodgett films studied by high resolution electron energy loss spectroscopy, 521
intersecting adsorbing polymers in lipid bilayers: thermodynamics of cliques and static order parameters, 827
investigations of phase-separated Langmuir–Blodgett films by atomic force microscopy, 151
Langmuir–Blodgett film formation of disteroidal-TCNQ, 342
Langmuir–Blodgett films from cellulose derivatives containing carbazole, 263
Langmuir–Blodgett films of an asymetrically substituted metal-free phthalocyanine and their second-order non-linear optical properties, 943
Langmuir–Blodgett films of linear polysiloxanes incorporating aromatic side-chains: structure–property relationships, 61
Langmuir–Blodgett monolayer and multilayers of stearic acid and stearyl amine, 1050
Langmuir–Blodgett processing of conjugated polymers, 728
Langmuir–Blodgett resist films for microlithography by exposure to a scanning electron microscope, 178
large-scale reconstitution of crystalline bacterial surface layer proteins at the air–water interface and on lipid films, 882
Maxwell displacement current across single monolayers, 1031
mesogenic metal alkylthioporphyrins for the formation of Langmuir–Blodgett films, 335
mixed alkanethiolate monolayers as substrates for studying the Langmuir film deposition process, 325
model for the optical properties of oriented molecular layers, 21
modification of the local structures of dye aggregates in Langmuir–Blodgett films as probed by electron spin resonance, 96
molecular arrangements and polycondensation of long-chain esters of amino acids containing an aromatic ring in Langmuir–Blodgett films, 1055
molecular construction of a photosynthetic reaction center at the interface by its affinity with quinonylphospholipid, 865
molecular organization in mixed monomolecular films and Langmuir–Blodgett layers of alkylaminostyryl-pyridinium dyes and stearic acid, 553
molecular organization of amphiphilic disc-shaped penta-alkynes in LB-mono- and multilayers, 794
molecular orientation of aggregated mesoporphyrin IX dimethylester in mixed Langmuir–Blodgett films with arachidic acid, 606
molecular recognition between a biotinylated polythiophene copolymer and phycoerythrin utilizing the biotin–streptavidin interaction, 50
molecular self-assembly at a pre-formed Langmuir–Blodgett template, 768
mono- and multilayers of new comb-like polymers containing terminal vinyl groups in the side chains, 732
monolayer and multilayer films of differently substituted metal tetraazaannulene complexes, 305
monolayer formation of synthetic ammonium amphiphiles carrying cyanobiphenyloxy mesogens, 78
monolayers and Langmuir–Blodgett films of a new lutetium(III)-bis-octakis(alkylthio)tetraazaporphyrin, 310
monolayers and Langmuir–Blodgett multilayer films of a conjugated azo polymer, 705
monovalent anions stabilize the structure of bacteriorhodopsin at the air–water interface, 736
noncentrosymmetric and centrosymmetric J-aggregation in photomerocyanine monolayer studied by second-harmonic generation and absorption spectroscopy, 587
observation of bond orientational order in floating and transferred monolayers with Brewster angle microscopy, 26
observation of the phase-separated Langmuir–Blodgett films on vapor deposited silver films with atomic force microscopy and friction force microscopy, 446
on the preparation of thin metal oxides by Langmuir–Blodgett film deposition, 384
one-dimensional columnar structure in conductive Langmuir–Blodgett films of long chain pyridinium–$(TCNQ)_2$ salts studied by electron spin resonance, 11
optical waveguide studies on photoinduced electrochromism in ultrathin films of ion-pair charge-transfer complexes of 4,4′-bipyridinium ions, 660

ordered structure and electrical properties in spiropyran Langmuir–Blodgett films, 480
organization of a globular protein film on solid surfaces: an X-ray photoelectron spectroscopy study, 442
orientation control of functional molecules in Langmuir–Blodgett films using a trigger molecule: the effect of substitution of the functional molecule, 300
permeation of gases through Langmuir–Blodgett films of iron(III) stearate and iron(III) complexes, 958
phase diagram and morphology of anisotropic domains in a pure and mixed carbocyanine monolayer, 1026
phosphine sensing mechanism in conducting Langmuir–Blodgett films based on tetracyanoquinodimethane and ethylenedithiotetrathiofulvalene derivatives, 895
photochemical memory system in polyimide Langmuir–Blodgett film with azobenzene pendant group, 183
photochemical studies of Langmuir–Blodgett films fabricated from *N*-alkylacrylamide copolymers with various vinyl aromatic monomers, 718
photoelectropoling of azobenzene chromophores in molecular films, 669
photogenerated charge storage in hetero Langmuir–Blodgett films: electron transfer mechanism, 191
polarization modulation FTIR spectroscopy at the air–water interface, 146
preparation and characterization of Langmuir–Blodgett films containing fullerene, 367
preparation of pure Y-type Langmuir–Blodgett films of lead stearate and their reaction with hydrogen sulfide, 118
preparation of Langmuir–Blodgett multilayers with differently substituted poly(3-alkylthiophenes), 683
pyroelectricity and temperature-dependent domain structure of azobenzene derivative polar Langmuir–Blodgett films, 536
recognition properties of amphiphilic cyclodextrin monolayers at the air–water interface, 832
scanning electron microscopy and atomic force microscopy of alkanethiol monolayers on gold, 431
scanning surface potential microscope for characterisation of Langmuir–Blodgett films, 163
scanning tunnelling microscopy of a monolayer of reaction centres, 403
second-harmonic generation from floating Langmuir layers of an azobenzene-functionalized copolymer, 139
self-assembly of avidin and streptavidin with multifunctional biotin molecules, 789
single layers of inorganic extended lattices formed at Langmuir–Blodgett templates, 100
size-dependent FTIR spectroscopy of nanoparticulate α-Fe_2O_3-stearate alternating Langmuir–Blodgett films, 643
soluble polyelectrolytes at the air–water interface: film behaviour and Langmuir–Blodgett transfer, 234
spectroscopic properties of Langmuir–Blodgett films of amphiphilic polysilanes, 625
spreading and transfer behavior of poly(2-acrylamidohexadecylsulfonic acid-co-styrene) monolayers, 691
structural investigation of alternating Langmuir–Blodgett films of amphiphilic diactylene and fatty acid, 295
stable monolayer from mixed-molecule films using difficult or unspreadable molecules, 258
stars, stripes and shells in monolayers: simulation of the molecular arrangement in Schlieren structures, 213
structural information on thiophene Langmuir–Blodgett heterostructures, 620
structural investigation of dipping lines in Langmuir–Blodgett films by scanning force microscopy, 170
structural investigations on LB films of 'hairy rod' polymers with mesogenic groups in the side chains, 56
structural study of spin coated and LB films of monomeric and oligomeric phthalocyanines, 316
structure and electrical properties of heteromultilayers on p-Si(111), 459
structure and electrical properties of phosphatidic acid Langmuir–Blodgett films adsorbing cyanide dyes, 489
structure of an anisotropic two-dimensional solid in a Langmuir film studied by electron scattering, 411
structure of 1-octadecyl-4-styryl pyridinium bromide monolayers on water studied by specular X-ray reflection, 437
study of the thermally stimulated discharge in single monolayers and hetero-structured films, 493
study on the stability of a copper phthalocyanine Langmuir–Blodgett film gas-sensitive element, 955
superiority of Langmuir–Blodgett resist films in electron beam lithography as demonstrated by the backscattering yield, 501
surface morphology of cyanine dye single-crystal sheets grown on a lipid monolayer, 763
surface potential imaging of phase-separated LB monolayers by scanning Maxwell stress microscopy, 399
surface potential of heat-treated polyimide Langmuir–Blodgett films, 476
surface-enhanced Raman scattering studies of lipid planar bilayers in water, 852
synthesis of a novel distributed diacetylene and solid state polymerization of its Langmuir–Blodgett film, 656
thermal behaviour of Langmuir–Blodgett films. Part III: structure and epitaxial layer growth of stearic, arachidic, and behenic acid multilayers, 351
transient photocurrent response in merocyanine Langmuir–Blodgett films, 526
transition to three-dimensional structures in monolayers of a series of long-chain acids on the water surface by compression studied by transmission electron spectroscopy and atomic force spectroscopy, 223
U-shaped distribution of interface states in metal(Langmuir–Blodgett) Si structures with phthalocyanine Langmuir–Blodgett films, 463
untrafast optical modulation of quadratic non-linearity from an Ru(II)-bipyridine complex in Langmuir–Blodgett assemblies, 947
various orientations of pendant dye attached to polymeric acid Langmuir and Langmuir–Blodgett films studied by an optical second-harmonic generation interferometry technique, 754
wetting of heterogeneous monolayer surfaces, 394
X-ray absorption and diffraction investigations of iodine-intercalated conducting Langmuir–Blodgett film, 415
Z-type deposition of a polymerizable amphiphile to fabricate an immobilized LB film showing strong second harmonic generation, 939

Lattice parameters
investigation of the in-plane structure of Pb and Ni stearate multilayers by means of grazing incidence X-ray diffraction, 1061

Lead
preparation of pure Y-type Langmuir–Blodgett films of lead stearate and their reaction with hydrogen sulfide, 118

Liposomes
kinetics of spreading at the air–water interface of dioleoylphosphatidylcholine liposomes influenced by photodynamic lipid peroxidation, 845
Liquid crystals
detection of photoregulation in a monolayer system mixed with liquid crystal and azobenzene polymer using a displacement–current measuring technique, 1018
Luminescence
conductivity and electroluminescence in an organometallic Langmuir–Blodgett film/anthracene structure, 936
non-radiative decay channels in poly(3-hexylthiophene) and poly(3-dodecylthiophene) and how to control them by molecular engineering, 638

Magnetic structures
one-dimensional columnar structure in conductive Langmuir–Blodgett films of long chain pyridinium–$(TCNQ)_2$ salts studied by electron spin resonance, 11
Metal–oxide semiconductor structures
field-effect induced modulation of conduction in Langmuir–Blodgett films of ethylenedithiotetrathiofulvalene derivatives, 7
field effect transistor based on Langmuir–Blodgett films of an $Ni(dmit)_2$ charge transfer complex, 932
U-shaped distribution of interface states in metal(Langmuir–Blodgett) Si structures with phthalocyanine Langmuir–Blodgett films, 463
Metals
influence of counterions and hydrophobic moieties on the thermostability of Langmuir–Blodgett multilayers, 425
study on the dielectric loss tan δ of metal–insulator–metal and metal–insulator–metal–insulator–metal junctions with polyimide Langmuir–Blodgett films, 977
Monolayers
alignment photoregulation of liquid crystals on precisely area controlled azobenzene Langmuir–Blodgett monolayers, 675
automatic Langmuir–Blodgett system based on flowing subphase compression, 371
behaviour of nitrobenz-2-oxa-1,3-diazol and coumarin dye indicators in lipid monolayers: a study of interfacial effects on polarity and pH, 243
charge transfer interactions at the air–water interface and in Langmuir–Blodgett films, 569
cholesterol–phospholipid interaction: a monolayer study, 874
comparison of Langmuir–Blodgett films of polyamic acid tert-amine salts with single, double and triple chains, 696
control of molecular chain tilt in self-assembled monolayer and its effect on wetting properties, 810
counterion specific interactions in dioctadecyldimethylammonium bromide monolayers at the monolayer/subphase interface, 195
cross-section potential for calculation of close packing geometries of monolayer films, 824
database of information from Langmuir films: design and use, 249
detection of photoregulation in a monolayer system mixed with liquid crystal and azobenzene polymer using a displacement-current measuring technique, 1018
determination of molecular orientations in Langmuir–Blodgett films by polarized Fourier transform IR attenuated total reflection and transmission spectroscopy, 971
dimyristoyl phosphatidylcholine: equilibrium spreading behaviour, 201
effect of elongation of π-electron system on the bahaviors of amphiphiles containing the pyrazine ring, 1022
effect of thermal treatment on surface monolayer and Langmuir–Blodgett film prepared by polyion complex technique, 358
electrochemical investigations of the structure and electron transfer properties of phospholipid bilayers incorporating ubiquinone, 836
fluorescence microscopic imaging of hydrolysis of phospholipid monolayers by phospholipase D at the air–water interface, 887
fullerene films and fullerene–dodecylamine adduct monolayers at air–water interfaces studied by neutron and X-ray reflection, 40
galactosylceramides with homogeneous acyl chains: the effect of acyl structure on intermolecular interactions occurring at the argon/buffered saline interface, 860
imaging of structured and disordered hemicyanine monolayers by atomic force microscopy, 450
influence of the phase state of phosphatidylcholine matrix monolayers on the photophysical characteristics of an amphiphilic oxacyanine dye at the air/water interface, 547
interaction between adjacent two-dimensional lattices of diacetylenic lipid and a cyanine dye, 1037
interaction between dipalmitoylphosphatidylglycerol and phosphatidylcholine and calcium, 841
interactions of phospholipid bilayer vesicles with monomolecular films at the air–water interface, 869
intersecting adsorbing polymers in lipid bilayers: thermodynamics of cliques and static order parameters, 827
investigation of the optical properties of tetraphenylporphyrin derivatives in Langmuir and Langmuir–Blodgett films, 581
Langmuir–Blodgett films of alkylpyridines as metal ion sensors, 905
Langmuir–Blodgett monolayer and multilayers of stearic acid and stearyl amine, 1050
local anesthetic–phospholipid interactions, 878
Maxwell displacement current across single monolayers, 1031
mesogenic metal alkylthioporphyrins for the formation of Langmuir–Blodgett films, 335
molecular arrangements and polycondensation of long-chain esters of amino acids containing an aromatic ring in Langmuir–Blodgett films, 1055
molecular cis–trans switching in amphiphilic monolayers containing azobenzene moieties, 122
molecular organization in mixed monomolecular films and Langmuir–Blodgett layers of alkylaminostyryl–pyridinium dyes and stearic acid, 553
molecular organization of amphiphilic disc-shaped penta-alkynes in LB-mono- and multilayers, 794
molecular recognition between a biotinylated polythiophene copolymer and phycoerythrin utilizing the biotin–streptavidin interaction, 50
molecular self-assembly of conducting polymers, 985
mono- and multilayers of new comb-like polymers containing terminal vinyl groups in the side chains, 732
monolayer and multilayer films of differently substituted metal tetraazaannulene complexes, 305
monolayer properties of alkylammonium perfluoroalkanoates, 273
monolayer study of cleavable phospholipids, 277

monolayers and Langmuir–Blodgett films of a new lutetium(III)-bis-octakis(alkylthio)tetraazaporphyrin, 310
monolayers and Langmuir–Blodgett films of semifluorinated tetrathiafulvalene derivative, 575
monolayers of Na^+, K^+-adenosine triphosphatase at the gas–liquid interface, 890
organization of a globular protein film on solid surfaces: an X-ray photoelectron spectroscopy study, 442
organization of bipolar lipids in monolayers at the air–water interface, 208
organization of poly-γ-benzyl-L-glutamate in the α-helical conformation at the air–water interface, 229
phase diagram and morphology of anisotropic domains in a pure and mixed carbocyanine monolayer, 1026
photochemical investigation of pyrene-labelled monolayers, 651
photoinduced electron transfer in molecular organizates at the gas–water interface, 564
photoinduced surface pressure relaxation processes in amphiphilic spiropyrane and spiroindolinonaphthooxazine, 962
polymer ultrathin films by self assembly: bound perfluorinated monolayers and their modification using *in situ* derivatization strategies, 106
Raman spectroscopy of self-assembled mono- and multilayer films of alkanethiolate on gold, 778
recognition properties of amphiphilic cyclodextrin monolayers at the air–water interface, 832
scanning electron microscopy and atomic force microscopy of alkanethiol monolayers on gold, 431
soluble polyelectrolytes at the air–water interface: film behaviour and Langmuir–Blodgett transfer, 234
spectroscopic properties of Langmuir–Blodgett films of amphiphilic polysilanes, 625
spreading and transfer behavior of poly(2-acrylamidohexadecylsulfonic acid-co-styrene) monolayers, 691
stable monolayer from mixed-molecule films using difficult or unspreadable molecules, 258
structure of an anisotropic two-dimensional solid in a Langmuir film studied by electron scattering, 411
surface morphology of cyanine dye single-crystal sheets grown on a lipid monolayer, 763
surface potential imaging of phase-separated LB monolayers by scanning Maxwell stress microscopy, 399
surface potential studies of monolayers of surfactant donor and acceptor molecules, 267
surface potentials of mixed Langmuir films: a model consistent with a domain-structured monolayer, 239
surface pressure in solid-on-solid models, 819
surface-enhanced Raman scattering studies of lipid planar bilayers in water, 852
transduction of the reaction between urea and covalently immobilized urease by fluorescent amphiphilic membranes, 898
use of self-assembled receptor layers in immunosensors, 913
various orientations of pendant dye attached to polymeric acid Langmuir and Langmuir–Blodgett films studied by an optical second-harmonic generation interferometry technique, 754
viscoelastic properties of monolayers of polymeric amphiphiles with mesogenic groups, 254
wetting of heterogeneous monolayer surfaces, 394
Z-type deposition of a polymerizable amphiphile to fabricate an immobilized LB film showing strong second harmonic generation, 939

Multilayers
alternating Langmuir–Blodgett multilayers with low optical losses for Cerenkov-type frequency doubling, 966
amylose triacetate Langmuir–Blodgett films: Y, Z and alternated with other polymers, 740
build-up of polymeric molecular deposition films bearing mesogenic groups, 815
chain length dependence of molecular ordering in LB films of amphotropic phthalocyanines, 346
comparison of tunnelling rates in two Langmuir–Blodgett quantum well structures differing only in barrier width, 928
dependence of structural order of 4-n-alkyl-4′-cyanobiphenyl layers on the nature of the substrate: graphite and β-Nb_3I_8, 419
determination of molecular orientations in Langmuir–Blodgett films by polarized Fourier transform IR attenuated total reflection and transmission spectroscopy, 971
determination of the parallel and perpendicular intermolecular tunnelling rates in two Langmuir–Blodgett quantum well systems, 923
electromotive force generation in metal–insulator–metal structures of Langmuir–Blodgett films, 497
electro-optic coefficient determination in stratified organized molecular thin films: application to poled polymers, 132
fabrication of electrically conductive Langmuir–Blodgett multilayer films of polyaniline, 990
fabrication of self-assembled monolayer patterns by selective electron beam irradiation and chemical adsorption technique, 374
head-to-tail or head-to-head structure of Langmuir–Blodgett long chain ester multilayers?, 283
impedance spectroscopy of biomembrane Langmuir–Blodgett films, 951
influence of counterions and hydrophobic moieties on the thermostability of Langmuir–Blodgett multilayers, 425
Langmuir–Blodgett monolayer and multilayers of stearic acid and stearyl amine, 1050
mesogenic metal alkylthioporphyrins for the formation of Langmuir–Blodgett films, 335
molecular organization of amphiphilic disc-shaped penta-alkynes in LB-mono- and multilayers, 794
molecular self-assembly of conjugated polyions: a new process for fabricating multilayer thin film heterostructures, 806
monolayers and Langmuir–Blodgett films of semifluorinated tetrathiafulvalene derivative, 575
multilayers of ω-mercaptoalkanoic acids containing a polar aromatic group: characterization of films, 784
proof of multilayer structural organisation in self-assembled polycation–polyanion molecular films, 772
Raman spectroscopy of self-assembled mono- and multilayer films of alkanethiolate on gold, 778
soluble polyelectrolytes at the air–water interface: film behaviour and Langmuir–Blodgett transfer, 234
stable monolayer from mixed-molecule films using difficult or unspreadable molecules, 258
structural study of spin coated and LB films of monomeric and oligomeric phthalocyanines, 316
surface-enhanced Raman scattering studies of lipid planar bilayers in water, 852
transduction of the reaction between urea and covalently immobilized urease by fluorescent amphiphilic membranes, 898

Nanostructures
columnar liquid crystals of triaryl pyrylium salts: experimental and theoretical study of photophysical properties, 83
control of electron transfer in a nanostructure assembled from organic molecules, 187
dependence of structural order of 4-n-alkyl-4′-cyanobiphenyl layers on the nature of the substrate: graphite and β-Nb_3I_8, 419
dimyristoyl phosphatidylcholine: equilibrium spreading behaviour, 201
electrochemical investigations of the structure and electron transfer properties of phospholipid bilayers incorporating ubiquinone, 836
fabrication of self-assembled monolayer patterns by selective electron beam irradiation and chemical adsorption technique, 374
formation of nanoscale size cadmium sulfide within a channel protein monolayer, 127
formulation of quantum size silver particles *in situ* at the monolayer surface, 16
on the lipid head group hydration of floating surface monolayers bound to self-assembled molecular protein layers, 112
photogenerated charge storage in hetero Langmuir–Blodgett films: electron transfer mechanism, 191
self-assembly of avidin and streptavidin with multifunctional biotin molecules, 789
Neutron scattering
fullerene films and fullerene–dodecylamine adduct monolayers at air–water interfaces studied by neutron and X-ray reflection, 40
on the lipid head group hydration of floating surface monolayers bound to self-assembled molecular protein layers, 112
Nucleation
investigations of phase-separated Langmuir–Blodgett films by atomic force microscopy, 151

Optical properties
adsorption of cyanine dyes and optical properties of phosphatidic acid Langmuir monolayers and Langmuir–Blodgett films, 630
alternating Langmuir–Blodgett multilayers with low optical losses for Cerenkov-type frequency doubling, 966
assembling and optical properties of dicyclohepta[5,6,:*b*]-pyrazino[2,3-*g*] quinoxaline-3,11-dione derivatives, 602
columnar liquid crystals of triaryl pyrylium salts: experimental and theoretical study of photophysical properties, 83
direction of photocurrents of molecular photodiodes with oriented triad molecules, 616
electro-optic coefficient determination in stratified organized molecular thin films: application to poled polymers, 132
electro-optic properties of some oligomeric Langmuir–Blodgett films, 1067
investigation of the optical properties of tetraphenylporphyrin derivatives in Langmuir and Langmuir–Blodgett films, 581
Langmuir–Blodgett processing of conjugated polymers, 728
molecular orientation of aggregated mesoporphyrin IX dimethylester in mixed Langmuir–Blodgett films with arachidic acid, 606
observation of bond orientational order in floating and transferred monolayers with Brewster angle microscopy, 26
optical properties of transient charge carriers photogenerated on a femtosecond-to-nanosecond time scale in Langmuir–Blodgett films, 92
ordered structure and electrical properties in spiropyran Langmuir–Blodgett films, 480
phase diagram and morphology of anisotropic domains in a pure and mixed carbocyanine monolayer, 1026
photoelectropoling of azobenzene chromophores in molecular films, 669
polysiloxanes for Langmuir–Blodgett applications, 1012
preparation and characterization of Langmuir–Blodgett films containing fullerene, 367
preparation of Langmuir–Blodgett multilayers with differently substituted poly(3-alkylthiophenes), 683
stars, stripes and shells in monolayers: simulation of the molecular arrangement in Schlieren structures, 213
surface sensitivity of SiON integrated optical waveguides (IOWs) examined by IOW-attenuated total reflection spectrometry and IOW-Raman spectroscopy, 610
time-resolved third-order non-linear optical susceptibility of Langmuir–Blodgett films of mixed dimers $ZnP(N^+C_{22})_4/H_2P_cTS^{4-}$ by femtosecond laser spectroscopy, 981
ultrafast optical modulation of quadratic non-linearity from an Ru(II)-bipyridine complex in Langmuir–Blodgett assemblies, 947
Optical spectroscopy
chain length dependence of molecular ordering in LB films of amphotropic phthalocyanines, 346
columnar liquid crystals of triaryl pyrylium salts: experimental and theoretical study of photophysical properties, 83
electro-optic coefficient determination in stratified organized molecular thin films: application to poled polymers, 132
imaging of structured and disordered hemicyanine monolayers by atomic force microscopy, 450
insertion of silver tetracyanoquinodimethane complexes into Langmuir–Blodgett multilayers, 679
interaction between adjacent two-dimensional lattices of diacetylenic lipid and a cyanine dye, 1037
molecular arrangements and polycondensation of long-chain esters of amino acids containing an aromatic ring in Langmuir–Blodgett films, 1055
molecular construction of a photosynthetic reaction center at the interface by its affinity with quinonylphospholipid, 865
molecular organization in mixed monomolecular films and Langmuir–Blodgett layers of alkylaminostyryl–pyridinium dyes and stearic acid, 553
monolayer and multilayer films of differently substituted metal tetraazaannulene complexes, 305
monolayers and Langmuir–Blodgett films of a new lutetium(III)-bis-octakis(alkylthio)tetraazaporphyrin, 310
optical waveguide studies on photoinduced electrochromism in ultrathin films of ion-pair charge-transfer complexes of 4,4′-bipyridinium ions, 660
photochemical memory system in polyimide Langmuir–Blodgett film with azobenzene pendant group, 183
photoelectropoling of azobenzene chromophores in molecular films, 669
structural investigations on LB films of 'hairy rod' polymers with mesogenic groups in the side chains, 56
structural study of spin coated and LB films of monomeric and oligomeric phthalocyanines, 316
structure and electrical properties of heteromultilayers on p-Si(111), 459

surface sensitivity of SiON integrated optical waveguides (IOWs) examined by IOW-attenuated total reflection spectrometry and IOW-Raman spectroscopy, 610
use of self-assembled receptor layers in immunosensors, 913
Organic substances
assembling and optical properties of dicyclohepta[5,6,:*b*]-pyrazino[2,3-*g*] quinoxaline-3,11-dione derivatives, 602
conducting Langmuir–Blodgett films based on semiamphiphilic tetracyanodimethane salts: mechanism of the homodoping process, 592
detection of photoregulation in a monolayer system mixed with liquid crystal and azobenzene polymer using a displacement-current measuring technique, 1018
electrically conducting thin films of aniline derivatives, 515
fabrication of self-assembled monolayer patterns by selective electron beam irradiation and chemical adsorption technique, 374
In situ optical monitoring of the Langmuir layer and Langmuir–Blodgett film deposition with optical second harmonic generation at the air–water interface, 361
interaction between adjacent two-dimensional lattices of diacetylenic lipid and a cyanine dye, 1037
Langmuir–Blodgett film formation of disteroidal-TCNQ, 342
Langmuir–Blodgett films of alkylpyridines as metal ion sensors, 905
migration and growth mechanism of long chain molecules on the surface of solid substrates, 389
modification of the local structures of dye aggregates in Langmuir–Blodgett films as probed by electron spin resonance, 96
molecular configuration of isotactic PMMA Langmuir–Blodgett films observed by scanning tunnelling microscopy, 700
noncentrosymmetric and centrosymmetric J-aggregation in photomerocyanine monolayer studied by second-harmonic generation and absorption spectroscopy, 587
photoinduced surface pressure relaxation processes in amphiphilic spiropyrane and spiroindolinonaphthooxazine, 962
photovoltaic effect in CuTCNQ organic thin films, 468
polysiloxanes for Langmuir–Blodgett applications, 1012
spontaneous reduction of octadecyltetracyanoquinodimethane at the air–water interface in the presence of amphiphilic cations, 1043
study on the stability of a copper phthalocyanine Langmuir–Blodgett film gas-sensitive element, 955
time-resolved third-order non-linear optical susceptibility of Langmuir–Blodgett films of mixed dimers $ZnP(N^+C_{22})_4/H_2P_cTS^{4-}$ by femtosecond laser spectroscopy, 981
Oxides
decomposition of Langmuir–Blodgett films to form metal oxide layers, 74
on the preparation of thin metal oxides by Langmuir–Blodgett film deposition, 384

Phase transitions
cholesterol–phospholipid interaction: a monolayer study, 874
cross-section potential for calculation of close packing geometries of monolayer films, 824
dimyristoyl phosphatidylcholine: equilibrium spreading behaviour, 201
galactosylceramides with homogeneous acyl chains: the effect of acyl structure on intermolecular interactions occurring at the argon/buffered saline interface, 860
interaction between dipalmitoylphosphatidylglycerol and phosphatidylcholine and calcium, 841
local anesthetic–phospholipid interactions, 878
observation of bond orientational order in floating and transferred monolayers with Brewster angle microscopy, 26
organization of bipolar lipids in monolayers at the air–water interface, 208
stars, stripes and shells in monolayers: simulation of the molecular arrangement in Schlieren structures, 213
surface potential imaging of phase-separated LB monolayers by scanning Maxwell stress microscopy, 399
thermal behaviour of Langmuir–Blodgett films. Part III: structure and epitaxial layer growth of stearic, arachidic, and behenic acid multilayers, 351
Phosphine
phosphine sensing mechanism in conducting Langmuir–Blodgett films based on tetracyanoquinodimethane and ethylenedithiotetrathiofulvalene derivatives, 895
Phosphorescence
phosphorescence and delayed fluorescence of poly(3-hexylthiophene) films, 174
Photoconductivity
control of electron transfer in a nanostructure assembled from organic molecules, 187
Photodynamic lipid peroxidation
kinetics of spreading at the air–water interface of dioleoylphosphatidylcholine liposomes influenced by photodynamic lipid peroxidation, 845
Photoelectron spectroscopy
photochemical memory system in polyimide Langmuir–Blodgett film with azobenzene pendant group, 183
photovoltaic and photoelectric properties of Al/mixed monolayers of Chl a-SQDG/Ag sandwich cells, 505
Photovoltage
direction of photocurrents of molecular photodiodes with oriented triad molecules, 616
photogenerated charge storage in hetero Langmuir–Blodgett films: electron transfer mechanism, 191
photovoltaic and photoelectric properties of Al/mixed monolayers of Chl a-SQDG/Ag sandwich cells, 505
photovoltaic effect in CuTCNQ organic thin films, 468
transient photocurrent response in merocyanine Langmuir–Blodgett films, 526
Polymers
alignment photoregulation of liquid crystals on precisely area controlled azobenzene Langmuir–Blodgett monolayers, 675
amylose triacetate Langmuir–Blodgett films: Y, Z and alternated with other polymers, 740
automatic Langmuir–Blodgett system based on flowing subphase compression, 371
build-up of polymeric molecular deposition films bearing mesogenic groups, 815
conformation and thermodynamics of haemoglobin adsorbed at fluid interfaces, 687
cyclic polysiloxanes in polar LB assemblies: synthesis, evalution and pyroelectric behaviour, 378
effect of polymer molecular weight on Langmuir monolayers and the deposition of Langmuir–Blodgett films of poly(3-butylthiophene) and stearic acid, 723
effect of thermal treatment on surface monolayer and Langmuir–Blodgett film prepared by polyion complex technique, 358

efficient second-harmonic generation from all-polymeric Langmuir–Blodgett 'AB' films containing up to 600 layers, 1007
electroactivity in poly(*o*-alkoxyaniline) Langmuir–Blodgett films, 544
electro-optic coefficient determination in stratified organized molecular thin films: application to poled polymers, 132
electro-optic properties of some oligomeric Langmuir–Blodgett films, 1067
fluorescence spectroscopy for a polymer monolayer at the air–water interface, 1073
further investigation of the preparation process of poly(*p*-phenylenevinylene) Langmuir–Blodgett films, 750
intersecting adsorbing polymers in lipid bilayers: thermodynamics of cliques and static order parameters, 827
Langmuir–Blodgett films from cellulose derivatives containing carbazole, 263
Langmuir–Blodgett films of linear polysiloxanes incorporating aromatic side-chains: structure–property relationships, 61
Langmuir–Blodgett processing of conjugated polymers, 728
molecular recognition between a biotinylated polythiophene copolymer and phycoerythrin utilizing the biotin–streptavidin interaction, 50
molecular self-assembly of conducting polymers, 985
molecular self-assembly of conjugated polyions: a new process for fabricating multilayer thin film heterostructures, 806
mono- and multilayers of new comb-like polymers containing terminal vinyl groups in the side chains, 732
monolayers and Langmuir–Blodgett multilayer films of a conjugated azo polymer, 705
morphology and molecular ordering in Langmuir–Blodgett films from ladder polyheteroarylenes, 745
non-radiative decay channels in poly(3-hexylthiophene) and poly(3-dodecylthiophene) and how to control them by molecular engineering, 638
optical waveguide studies on photoinduced electrochromism in ultrathin films of ion-pair charge-transfer complexes of 4,4'-bipyridinium ions, 660
photochemical memory system in polyimide Langmuir–Blodgett film with azobenzene pendant group, 183
photochemical studies of Langmuir–Blodgett films fabricated from *N*-alkylacrylamide copolymers with various vinyl aromatic monomers, 718
polymer ultrathin films by self assembly: bound perfluorinated monolayers and their modification using *in situ* derivatization strategies, 106
preparation of Langmuir–Blodgett multilayers with differently substituted poly(3-alkylthiophenes), 683
second-harmonic generation from floating Langmuir layers of an azobenzene-functionalized copolymer, 139
soluble polyelectrolytes at the air–water interface: film behaviour and Langmuir–Blodgett transfer, 234
spectroscopic properties of Langmuir–Blodgett films of amphiphilic polysilanes, 625
spreading and transfer behavior of poly(2-acrylamidohexadecylsulfonic acid-co-styrene) monolayers, 691
structural investigations on LB films of 'hairy rod' polymers with mesogenic groups in the side chains, 56
synthesis and characterization of poly(*o*-phenetidine) for the fabrication of Langmuir and Langmuir–Blodgett films, 714
various orientations of pendant dye attached to polymeric acid Langmuir and Langmuir–Blodgett films studied by an optical second-harmonic generation interferometry technique, 754
viscoelastic properties of monolayers of polymeric amphiphiles with mesogenic groups, 254

Porphyrins
investigation of the optical properties of tetraphenylporphyrin derivatives in Langmuir and Langmuir–Blodgett films, 581

Protein
organization of a globular protein film on solid surfaces: an X-ray photoelectron spectroscopy study, 442

Pyrolysis
on the preparation of thin metal oxides by Langmuir–Blodgett film deposition, 384
study of the thermally stimulated discharge in single monolayers and hetero-structured films, 493

Quantum effects
comparison of tunnelling rates in two Langmuir–Blodgett quantum well structures differing only in barrier width, 928
determination of the parallel and perpendicular intermolecular tunnelling rates in two Langmuir–Blodgett quantum well systems, 923
formation of nanoscale size cadmium sulfide within a channel protein monolayer, 127

Radioactive tracer techniques
monolayer properties of alkylammonium perfluoroalkanoates, 273

Raman scattering
surface sensitivity of SiON integrated optical waveguides (IOWs) examined by IOW-attenuated total reflection spectrometry and IOW-Raman spectroscopy, 610
surface-enhanced Raman scattering studies of lipid planar bilayers in water, 852

Raman spectroscopy
Raman spectroscopy of self-assembled mono- and multilayer films of alkanethiolate on gold, 778

Reaction kinetics
insertion of silver tetracyanoquinodimethane complexes into Langmuir–Blodgett multilayers, 679
preparation of pure Y-type Langmuir–Blodgett films of lead stearate and their reaction with hydrogen sulfide, 118

Reflection spectroscopy
adsorption of cyanine dyes and optical properties of phosphatidic acid Langmuir monolayers and Langmuir–Blodgett films, 630
charge transfer interactions at the air–water interface and in Langmuir–Blodgett films, 569
influence of the phase state of phosphatidylcholine matrix monolayers on the photophysical characteristics of an amphiphilic oxacyanine dye at .he air/water interface, 547
Langmuir–Blodgett films from cellulose derivatives containing carbazole, 263
model for the optical properties of oriented molecular layers, 21
photochemical investigation of pyrene-labelled monolayers, 651
polarization modulation FTIR spectroscopy at the air–water interface, 146

Rutherford backscattering spectroscopy
decomposition of Langmuir–Blodgett films to form metal oxide layers, 74

Scanning electron microscopy
imide cross-linking and concurrent skeletonization of Langmuir–Blodgett films composed of two oppositely charged polymers, 710
Langmuir–Blodgett resist films for microlithography by exposure to a scanning electron microscope, 178
scanning electron microscopy and atomic force microscopy of alkanethiol monolayers on gold, 431
Scanning tunnelling microscopy
dependence of structural order of 4-n-alkyl-4′-cyanobiphenyl layers on the nature of the substrate: graphite and β-Nb_3I_8, 419
molecular configuration of isotactic PMMA Langmuir–Blodgett films observed by scanning tunnelling microscopy, 700
scanning tunnelling microscopy of a monolayer of reaction centres, 403
Schottky barrier
transient photocurrent response in merocyanine Langmuir–Blodgett films, 526
Second harmonic generation
amylose triacetate Langmuir–Blodgett films: Y, Z and alternated with other polymers, 740
efficient second-harmonic generation from all-polymeric Langmuir–Blodgett 'AB' films containing up to 600 layers, 1007
electro-optic properties of some oligomeric Langmuir–Blodgett films, 1067
In situ imaging of Langmuir monolayers by second-harmonic microscopy, 1001
Langmuir–Blodgett films of an asymetrically substituted metal-free phthalocyanine and their second-order non-linear optical properties, 943
molecular organization in mixed monomolecular films and Langmuir–Blodgett layers of alkylaminostyryl–pyridinium dyes and stearic acid, 553
polysiloxanes for Langmuir–Blodgett applications, 1012
second-harmonic generation from floating Langmuir layers of an azobenzene-functionalized copolymer, 139
self-assembled chromophoric thin film NLO materials. Effect of coupling agent surface functionalization and ion exchange processes on second harmonic generation characteristics, 142
synthesis of a novel distributed diacetylene and solid state polymerization of its Langmuir–Blodgett film, 656
untrafast optical modulation of quadratic non-linearity from an Ru(II)-bipyridine complex in Langmuir–Blodgett assemblies, 947
various orientations of pendant dye attached to polymeric acid Langmuir and Langmuir–Blodgett films studied by an optical second-harmonic generation interferometry technique, 754
Z-type deposition of a polymerizable amphiphile to fabricate an immobilized LB film showing strong second harmonic generation, 939
Secondary ion mass spectrometry
phosphine sensing mechanism in conducting Langmuir–Blodgett films based on tetracyanoquinodimethane and ethylenedithiotetrathiofulvalene derivatives, 895
Segregation
plate-to-nematoid transition of self-organized layers in liquid crystal systems, 758
Self assembly
multilayers of ω-mercaptoalkanoic acids containing a polar aromatic group: characterization of films, 784
Raman spectroscopy of self-assembled mono- and multilayer films of alkanethiolate on gold, 778
Sensors
cyclic polysiloxanes in polar LB assemblies: synthesis, evalution and pyroelectric behaviour, 378
gas–humidity sensor fabricated with phthalocyanine Langmuir–Blodgett film, 909
immunoglobulin immobilisation by the Langmuir–Blodgett method, 857
Langmuir–Blodgett films of linear polysiloxanes incorporating aromatic side-chains: structure–property relationships, 61
molecular recognition between a biotinylated polythiophene copolymer and phycoerythrin utilizing the biotin–streptavidin interaction, 50
phosphine sensing mechanism in conducting Langmuir–Blodgett films based on tetracyanoquinodimethane and ethylenedithiotetrathiofulvalene derivatives, 895
study on the stability of a copper phthalocyanine Langmuir–Blodgett film gas-sensitive element, 955
use of self-assembled receptor layers in immunosensors, 913
Silicon
spectroscopic properties of Langmuir–Blodgett films of amphiphilic polysilanes, 625
Solar cells
direction of photocurrents of molecular photodiodes with oriented triad molecules, 616
Spreading surface films
kinetics of spreading at the air–water interface of dioleoylphosphatidylcholine liposomes influenced by photodynamic lipid peroxidation, 845
Structural properties
control of the structure of Langmuir–Blodgett films of a discotic liquid crystalline compound via the subphase composition and the adjacent molecular environment, 289
formation and structural characteristics of Langmuir–Blodgett films of C_{60} and C_{70}, 45
head-to-tail or head-to-head structure of Langmuir–Blodgett long chain ester multilayers?, 283
investigation of the in-plane structure of Pb and Ni stearate multilayers by means of grazing incidence X-ray diffraction, 1061
modification of the local structures of dye aggregates in Langmuir–Blodgett films as probed by electron spin resonance, 96
molecular orientation of aggregated mesoporphyrin IX dimethylester in mixed Langmuir–Blodgett films with arachidic acid, 606
morphology and molecular ordering in Langmuir–Blodgett films from ladder polyheteroarylenes, 745
one-dimensional columnar structure in conductive Langmuir–Blodgett films of long chain pyridinium–$(TCNQ)_2$ salts studied by electron spin resonance, 11
ordered structure and electrical properties in spiropyran Langmuir–Blodgett films, 480
proof of multilayer structural organisation in self-assembled polycation–polyanion molecular films, 772
structural investigation of dipping lines in Langmuir–Blodgett films by scanning force microscopy, 170
structure of an anisotropic two-dimensional solid in a Langmuir film studied by electron scattering, 411
surface potential studies of monolayers of surfactant donor and acceptor molecules, 267
thermal behaviour of Langmuir–Blodgett films. Part III: structure and epitaxial layer growth of stearic, arachidic, and behenic acid multilayers, 351

X-ray absorption and diffraction investigations of iodine-intercalated conducting Langmuir–Blodgett film, 415

Sulphides
preparation of pure Y-type Langmuir–Blodgett films of lead stearate and their reaction with hydrogen sulfide, 118
surface chemistry of thiols on copper: an efficient way of producing multilayers, 799

Superlattices
control of the structure of Langmuir–Blodgett films of a discotic liquid crystalline compound via the subphase composition and the adjacent molecular environment, 289
photogenerated charge storage in hetero Langmuir–Blodgett films: electron transfer mechanism, 191

Surface and interface states
comparison of Langmuir–Blodgett films of polyamic acid tert-amine salts with single, double and triple chains, 696
displacement current generation across single monolayers of polyamic acids having pendant groups at the air–water interface, 220
fluorescence spectroscopy for a polymer monolayer at the air–water interface, 1073
formulation of quantum size silver particles *in situ* at the monolayer surface, 16
galactosylceramides with homogeneous acyl chains: the effect of acyl structure on intermolecular interactions occurring at the argon/buffered saline interface, 860
monolayer study of cleavable phospholipids, 277
phase diagram and morphology of anisotropic domains in a pure and mixed carbocyanine monolayer, 1026
surface potential of heat-treated polyimide Langmuir–Blodgett films, 476
U-shaped distribution of interface states in metal(Langmuir–Blodgett) Si structures with phthalocyanine Langmuir–Blodgett films, 463

Surface composition
self-assembled chromophoric thin film NLO materials. Effect of coupling agent surface functionalization and ion exchange processes on second harmonic generation characteristics, 142

Surface conductivity
study on the stability of a copper phthalocyanine Langmuir–Blodgett film gas-sensitive element, 955

Surface diffusion
kinetics of lateral electron hopping in osmium-tris-4,7-diphenylphenanthroline perchlorate monolayers at the air/water interface, 1
migration and growth mechanism of long chain molecules on the surface of solid substrates, 389

Surface morphology
change in Langmuir–Blodgett film structures of cationic amphiphiles with pyrene-1-carboxylate anion on treatment with HCl gas, 664
counterion specific interactions in dioctadecyldimethylammonium bromide monolayers at the monolayer/subphase interface, 195
fluorescence microscopic imaging of hydrolysis of phospholipid monolayers by phospholipase D at the air–water interface, 887
formation and structural characteristics of Langmuir–Blodgett films of C_{60} and C_{70}, 45
formulation of quantum size silver particles *in situ* at the monolayer surface, 16
fullerene films and fullerene–dodecylamine adduct monolayers at air–water interfaces studied by neutron and X-ray reflection, 40
morphology and molecular ordering in Langmuir–Blodgett films from ladder polyheteroarylenes, 745
observation of the phase-separated Langmuir–Blodgett films on vapor deposited silver films with atomic force microscopy and friction force microscopy, 446
structural investigation of dipping lines in Langmuir–Blodgett films by scanning force microscopy, 170

Surface phonons and adsorbate
model for the optical properties of oriented molecular layers, 21

Surface plasmons
local anesthetic–phospholipid interactions, 878
structural information on thiophene Langmuir–Blodgett heterostructures, 620

Surface potential
cholesterol–phospholipid interaction: a monolayer study, 874
counterion specific interactions in dioctadecyldimethylammonium bromide monolayers at the monolayer/subphase interface, 195
effect of polymer molecular weight on Langmuir monolayers and the deposition of Langmuir–Blodgett films of poly(3-butylthiophene) and stearic acid, 723
Maxwell displacement current across single monolayers, 1031
molecular cis–trans switching in amphiphilic monolayers containing azobenzene moieties, 122
monolayer study of cleavable phospholipids, 277
organization of poly-γ-benzyl-L-glutamate in the α-helical conformation at the air–water interface, 229
scanning Maxwell stress microscope for nanometre-scale surface electrostatic imaging of thin films, 33
scanning surface potential microscope for characterisation of Langmuir–Blodgett films, 163
scanning tunnelling microscopy of a monolayer of reaction centres, 403
surface potential imaging of phase-separated LB monolayers by scanning Maxwell stress microscopy, 399
surface potential of heat-treated polyimide Langmuir–Blodgett films, 476
surface potential studies of monolayers of surfactant donor and acceptor molecules, 267
surface potentials of mixed Langmuir films: a model consistent with a domain-structured monolayer, 239

Surface pressure
charge transfer interactions at the air–water interface and in Langmuir–Blodgett films, 569
cholesterol–phospholipid interaction: a monolayer study, 874
counterion specific interactions in dioctadecyldimethylammonium bromide monolayers at the monolayer/subphase interface, 195
database of information from Langmuir films: design and use, 249
dimyristoyl phosphatidylcholine: equilibrium spreading behaviour, 201
effect of polymer molecular weight on Langmuir monolayers and the deposition of Langmuir–Blodgett films of poly(3-butylthiophene) and stearic acid, 723
influence of the phase state of phosphatidylcholine matrix monolayers on the photophysical characteristics of an amphiphilic oxacyanine dye at the air/water interface, 547
interaction between dipalmitoylphosphatidylglycerol and phosphatidylcholine and calcium, 841
interactions of phospholipid bilayer vesicles with monomolecular films at the air–water interface, 869
Langmuir–Blodgett films from cellulose derivatives containing carbazole, 263

local anesthetic–phospholipid interactions, 878
monovalent anions stabilize the structure of bacteriorhodopsin at the air–water interface, 736
organization of bipolar lipids in monolayers at the air–water interface, 208
organization of poly-γ-benzyl-L-glutamate in the α-helical conformation at the air–water interface, 229
photoinduced electron transfer in molecular organizates at the gas–water interface, 564
second-harmonic generation from floating Langmuir layers of an azobenzene-functionalized copolymer, 139
spreading and transfer behavior of poly(2-acrylamidohexadecylsulfonic acid-co-styrene) monolayers, 691
surface pressure in solid-on-solid models, 819

Surface roughness
observation of the phase-separated Langmuir–Blodgett films on vapor deposited silver films with atomic force microscopy and friction force microscopy, 446
scanning Maxwell stress microscope for nanometre-scale surface electrostatic imaging of thin films, 33

Surface segregation
fluorescence microscopic imaging of hydrolysis of phospholipid monolayers by phospholipase D at the air–water interface, 887
monolayer formation of synthetic ammonium amphiphiles carrying cyanobiphenyloxy mesogens, 78
wetting of heterogeneous monolayer surfaces, 394

Surface structure
atomic force microscopy studies of photosynthetic protein membrane Langmuir–Blodgett films, 455
crystal engineering in two dimensions: control of planar packing by deisgn of new amphiphiles, 67
in-plane organization of LB monolayers from FTIR spectroscopy, 559
observation of bond orientational order in floating and transferred monolayers with Brewster angle microscopy, 26
on the lipid head group hydration of floating surface monolayers bound to self-assembled molecular protein layers, 112
structure and electrical properties of heteromultilayers on p-Si(111), 459
structure of 1-octadecyl-4-styryl pyridinium bromide monolayers on water studied by specular X-ray reflection, 437

Surface tension
monolayer formation of synthetic ammonium amphiphiles carrying cyanobiphenyloxy mesogens, 78
plate-to-nematoid transition of self-organized layers in liquid crystal systems, 758

Surface thermodynamics
conformation and thermodynamics of haemoglobin adsorbed at fluid interfaces, 687

Thermal desorption
influence of counterions and hydrophobic moieties on the thermostability of Langmuir–Blodgett multilayers, 425

Thiols
multilayers of ω-mercaptoalkanoic acids containing a polar aromatic group: characterization of films, 784

Transmission electron microscopy
further investigation of the preparation process of poly(*p*-phenylenevinylene) Langmuir–Blodgett films, 750
monolayers and Langmuir–Blodgett multilayer films of a conjugated azo polymer, 705
X-ray photoelectron spectroscopy, attenuated total reflectance Fourier transform IR spectroscopy and transmission electron diffraction studies of oriented cadmium iodide prepared in a Langmuir–Blodgett template, 510

Tunnelling
comparison of tunnelling rates in two Langmuir–Blodgett quantum well structures differing only in barrier width, 928
control of electron transfer in a nanostructure assembled from organic molecules, 187
determination of the parallel and perpendicular intermolecular tunnelling rates in two Langmuir–Blodgett quantum well systems, 923
electron transport mechanism through polyimide Langmuir–Blodgett films containing porphyrin, 472

Water
polarization modulation FTIR spectroscopy at the air–water interface, 146

Wetting
control of molecular chain tilt in self-assembled monolayer and its effect on wetting properties, 810
mixed alkanethiolate monolayers as substrates for studying the Langmuir film deposition process, 325
wetting of heterogeneous monolayer surfaces, 394

Work function
scanning surface potential microscope for characterisation of Langmuir–Blodgett films, 163

X-ray adsorption
X-ray adsorption and diffraction investigations of iodine-intercalated conducting Langmuir–Blodgett film, 415

X-ray diffraction
AFM and X-ray studies of films formed by thermal evaporation and by the LB technique, 157
comparison of Langmuir–Blodgett films of polyamic acid tert-amine salts with single, double and triple chains, 696
control of the structure of Langmuir–Blodgett films of a discotic liquid crystalline compound via the subphase composition and the adjacent molecular environment, 289
formation and characterisation of Langmuir–Blodgett films of dipalmitoylphosphatidic acid, 596
head-to-tail or head-to-head structure of Langmuir–Blodgett long chain ester multilayers?, 283
investigation of the in-plane structure of Pb and Ni stearate multilayers by means of grazing incidence X-ray diffraction, 1061
Langmuir–Blodgett film formation of disteroidal-TCNQ, 342
structural investigation of alternating Langmuir–Blodgett films of amphiphilic diactylene and fatty acid, 295
structural investigations on LB films of 'hairy rod' polymers with mesogenic groups in the side chains, 56
structural study of spin coated and LB films of monomeric and oligomeric phthalocyanines, 316
thermal behaviour of Langmuir–Blodgett films. Part III: structure and epitaxial layer growth of stearic, arachidic, and behenic acid multilayers, 351

X-ray photoelectron spectroscopy
further investigation of the preparation process of poly(*p*-phenylenevinylene) Langmuir–Blodgett films, 750
influence of multivalent salts on the processability of a stearic acid monolayer: a stability, electron spectroscopy for chemical analysis and atomic force microscopy study, 88
molecular self-assembly at a pre-formed Langmuir–Blodgett template, 768
organization of a globular protein film on solid surfaces: an X-ray photoelectron spectroscopy study, 442

phosphine sensing mechanism in conducting Langmuir–Blodgett films based on tetracyanoquinodimethane and ethylenedithiotetrathiofulvalene derivatives, 895
polymer ultrathin films by self assembly: bound perfluorinated monolayers and their modification using *in situ* derivatization strategies, 106
surface chemistry of thiols on copper: an efficient way of producing multilayers, 799
transduction of the reaction between urea and covalently immobilized urease by fluorescent amphiphilic membranes, 898
X-ray photoelectron spectroscopy, attenuated total reflectance Fourier transform IR spectroscopy and transmission electron diffraction studies of oriented cadmium iodide prepared in a Langmuir–Blodgett template, 510
X-ray scattering
fullerene films and fullerene–dodecylamine adduct monolayers at air–water interfaces studied by neutron and X-ray reflection, 40
influence of counterions and hydrophobic moieties on the thermostability of Langmuir–Blodgett multilayers, 425
structure of 1-octadecyl-4-styryl pyridinium bromide monolayers on water studied by specular X-ray reflection, 437
X-ray total reflection analysis
investigation of the in-plane structure of Pb and Ni stearate multilayers by means of grazing incidence X-ray diffraction, 1061

Zinc oxide
on the preparation of thin metal oxides by Langmuir–Blodgett film deposition, 384
Zirconium
molecular self-assembly at a pre-formed Langmuir–Blodgett template, 768
single layers of inorganic extended lattices formed at Langmuir–Blodgett templates, 100